

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	203	route\$3 near\$4 (look\$2 adj up or lookup or look-up) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:00
L2	78	1 and IP adj address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 10:58
L3	1159	route\$3 near\$4 (look\$2 adj up or lookup or look-up) and ip adj address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 10:58
L4	12224	707/3,10,101,102.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:28
L5	1089	4 and ip adj address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:01
L6	469	5 and (route or routing)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:01
L7	13	6 and next adj hop and longest adj prefix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:04
L8	163	6 and (@ad<"19990221" or @prad<"19999221" or @rlad<"19991221")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:05
L9	160	6 and (@ad<"19990221" or @prad<"19999221" or @rlad<"19990221")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:28
L10	46	9 and (offset or prefix)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:05
L11	43	10 and (variable or adjustable or dynamic)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:06
L12	12224	707/3,10,101,102,103.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:28

L13	334	12 and segment\$5 with table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:30
L14	31	13 and ip adj address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:28
L15	6	14 and (@ad<"19990221" or @prad<"19999221" or @rlad<"19990221")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:30
L16	4320	segment\$5 with table and offset	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:30
L17	235	segment\$5 with table and offset with variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:31
L18	17	17 and ip adj address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:30
L19	159	17 and (@ad<"19990221" or @prad<"19999221" or @rlad<"19990221")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:31
L20	1	18 and (@ad<"19990221" or @prad<"19999221" or @rlad<"19990221")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:31
L21	38	segment\$5 with table and offset with variable and prefix	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:31
L22	27	21 and (@ad<"19990221" or @prad<"19999221" or @rlad<"19990221")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 11:31

IEEE Search:

ip <near/2> address and look* <near/2> up

variable and offset

variable and offset and prefix

variable and offset and longest and prefix

longest <near/3> prefix and route and switch

routing <near/2> lookup and hardware and speed